

| ITEM | DESCRIPTION        | Material               | QTY | ITEM | DESCRIPTION        | Material       | QTY |
|------|--------------------|------------------------|-----|------|--------------------|----------------|-----|
| 1    | Left Outer Cover   | Q235A                  | 1   | 36   | Right Outer Cover  | Q235A          | 1   |
| 2    | Wheel Lock Nut     | Q235A                  | 1   | 37   | Bolt               | Q235A          | 6   |
| 3    | Outer Wheel flange | HT200                  | 2   | 38   | Wheel Lock Nut     | Q235A          | 1   |
| 4    | Nameplate of wheel |                        | 4   | 39   | Right Tool Rest    | Q235A          | 1   |
| 5    | Wheel              |                        | 2   | 40   | Washer             | Q235A          | 2   |
| 6    | Inner Wheel flange | HT200                  | 2   | 41   | Knob Nut           | Q235A+ABS      | 2   |
| 7    | Ash Tube           | ABS                    | 2   | 42   | Cable protector    | PVC            | 1   |
| 8    | Bolt               | Q235A                  | 6   | 43   | Bolt               | Q235A          | 3   |
| 9    | Washer             | Q235A                  | 6   | 44   | Base               | HT200          | 1   |
| 10   | Flat washer        | Q235A                  | 6   | 45   | Bolt               | Q235A          | 2   |
| 11   | Left Inner Cover   | Q235A                  | 1   | 46   | Switch             | PVC+ABS+Copper | 1   |
| 12   | Screw              | Q235A                  | 6   | 47   | Base plate         | Q235A          | 1   |
| 13   | Washer             | Q235A                  | 6   | 48   | washer             | Q235A          | 4   |
| 14   | Flat washer        | Q235A                  | 6   | 49   | rubber feet        | pvc            | 4   |
| 15   | End cover          | HT200                  | 1   | 50   | Bolt               | Q235A          | 4   |
| 16   | Stator             | silicon steel+copper   | 1   | 51   | Bolt               | Q235A          | 1   |
| 17   | Bearing            | GCr15+Q235A+Rubber     | 2   | 52   | washer             | Q235A          | 1   |
| 18   | Rotor              | 45+ZL102+silicon steel | 1   | 53   | tooth washer       | Q235A          | 1   |
| 19   | Bolt               | Q235A                  | 3   | 54   | Bolt               | Q235A          | 2   |
| 20   | Label              | PVC                    | 1   | 55   | Flat washer        | Q235A          | 2   |
| 21   | Waved spring       | Q235A                  | 1   | 56   | Bolt               | Q235A          | 2   |
| 22   | End cover          | HT200                  | 1   | 57   | cord bushing plate | Q235A          | 1   |
| 23   | Screw              | Q235A                  | 6   | 58   | Bolt               | Q235A          | 1   |
| 24   | Washer             | Q235A                  | 6   | 59   | Flat washer        | Q235A          | 1   |
| 25   | Flat washer        | Q235A                  | 6   | 60   | capactitor clip    | Q235A          | 1   |

|    |                   |           |   |    |                |                 |   |
|----|-------------------|-----------|---|----|----------------|-----------------|---|
| 26 | Eyeshield         | PC        | 2 | 61 | Capacitor      | BS+PP+PVC+Coppe | 1 |
| 27 | Square Neck Screw | Q235A     | 2 | 62 | Washer         | Q235A           | 2 |
| 28 | Square Neck Screw | Q235A     | 2 | 63 | Flat washer    | Q235A           | 2 |
| 29 | Eyeshield Bracket | Q235A     | 2 | 64 | Plug & Cord    | PVC +Copper     | 1 |
| 30 | Washer            | Q235A     | 2 | 65 | Cable Adaptor  | PVC             | 1 |
| 31 | Flat washer       | Q235A     | 2 | 66 | Left Tool Rest | Q235A           | 1 |
| 32 | wing nut          | Q235A     | 2 | 67 | Flat washer    | Q235A           | 2 |
| 33 | Flat washer       | Q235A     | 2 | 68 | washer         | Q235A           | 2 |
| 34 | Knob Nut          | Q235A+ABS | 2 | 69 | Bolt           | Q235A           | 2 |
| 35 | Right Inner Cover | Q235A     | 1 | 70 |                |                 |   |

# MD3215HD/MD3217HDMD3220HD

