


597470  
PARTS BREAKDOWN



| No | Description             | Material               | Spec.    | QTY |
|----|-------------------------|------------------------|----------|-----|
| 1  | lever                   |                        |          | 1   |
| 2  | nozzle                  |                        |          | 1   |
| 3  | hex bolt                |                        | M12*130  | 2   |
| 4  | rear wheel              |                        | 19"      | 2   |
| 5  | hemicycle pin           |                        |          | 2   |
| 6  | axle long bush          | F0113J                 |          | 2   |
| 7  | axle short bush         | F0113J                 |          | 2   |
| 8  | hex bolt                |                        | M8*12    | 2   |
| 9  | discharge tube          |                        |          | 1   |
| 10 | impeller case(front)    | cold rolled steel Q235 | t2       |     |
| 11 | screen                  |                        |          | 1   |
| 12 | impeller                | cold rolled steel Q235 | t4       |     |
| 13 | blade                   | W18Cr4V                |          | 2   |
| 14 | hex bolt                |                        | M8*40    | few |
| 15 | gear board 2            | cold rolled steel Q235 | t3       | 1   |
| 16 | connector               | cold rolled steel 65Mn | t2       | 1   |
| 17 | gear adjust handle      |                        |          | 1   |
| 18 | bag                     |                        |          | 1   |
| 19 | hex bolt                |                        | M6*50    | 1   |
| 20 | throttle control lever  |                        |          | 1   |
| 21 | manipulate controller   |                        |          | 1   |
| 22 | switch                  |                        |          | 1   |
| 23 | tamper plug             |                        |          | 1   |
| 24 | handle                  | welded steel tubeQ235  | Ø28*2    | 1   |
| 25 | side chute 1            |                        |          | 1   |
| 26 | side chute bracket      | cold rolled steel Q235 | t1.5     | 1   |
| 27 | side chute 2            | cold rolled steel Q235 | t1.5     | 1   |
| 28 | seat                    |                        | t4       | 1   |
| 29 | tension wheel spring    | 65Mn                   |          | 1   |
| 30 | tension wheel support   | cold rolled steel Q235 | t3       | 1   |
| 31 | tension wheel           | PP                     |          | 1   |
| 32 | blade cover plate       | cold rolled steel Q235 | t1.5     | 1   |
| 33 | impeller case supporter | ZG270-500              |          | 1   |
| 34 | impeller bracket        | steel 45               | t3       | 1   |
| 35 | gear case body          | steel Q235             |          | 1   |
| 36 | bracket                 | cold rolled steel Q235 | t2       | 1   |
| 37 | connect bar             |                        |          | 1   |
| 38 | hemicycle key           |                        | 5*7.5*19 | 1   |
| 39 | bearing                 |                        | 3202Z    | 2   |
| 40 | gear case bearing       | FZ1265                 | 5*21     | 2   |
| 41 | axes spring ring        |                        | 35       | 3   |
| 42 | rear wheel axes 2#      |                        |          | 1   |
| 43 | big gear                | QT600-3                |          | 1   |
| 44 | spring roll pin         |                        | 6*12     | 4   |
| 45 | bottom cover            | Steel Q235             | t2       | 1   |
| 46 | tray spring bracket     | Steel Q235             | t3       | 1   |
| 47 | spring                  |                        |          | 1   |

|    |                        |                          |         |     |
|----|------------------------|--------------------------|---------|-----|
| 48 | impeller case(rear)    | cold rolled steel Q235   | t2      | 1   |
| 49 | friction wheel         |                          |         | 1   |
| 50 | spring roll pin        |                          | 4*14    | 1   |
| 51 | small gear axes        | hard-drawn hex steel 45# |         | 1   |
| 52 | hex bolt               |                          | M6*10   | 2   |
| 53 | slide bearing          |                          |         | 1   |
| 54 | position control cover | POM                      |         | 1   |
| 55 | V-wheel with clutch    |                          |         | 1   |
| 56 | inner hex screw        | round steel 35#          | M8*25   | 6   |
| 57 | hammer axes            | round steel 45#          | Ø15     | 2   |
| 58 | V-belt                 |                          |         | 1   |
| 59 | hammer                 | ZG270-500                |         | 2   |
| 60 | blade press ring       | steel Q235               | t3      | 1   |
| 61 | spring roll pin        |                          | 3*16    | 2   |
| 62 | hex bolt               |                          | M8*20   | 4   |
| 63 | front wheel bracket    | ZG270-500                |         | 1   |
| 64 | flat gasket            |                          | 8       | few |
| 65 | hex bolt               |                          | M8*12   | few |
| 66 | nozzle gasket          |                          | PP      | 1   |
| 67 | hex bolt               |                          | M8*35   | 4   |
| 68 | hex bolt               |                          | M12*100 | 1   |
| 69 | flat gasket            |                          | 8       | 3   |
| 70 | wheel                  |                          |         | 1   |
| 71 | nut                    |                          | M12     | 3   |
| 72 | nozzle support plate   | cold rolled steel Q235   | t2      | 2   |
| 73 | leaf collect plate     | neoprene                 |         | 1   |
| 74 | nozzle support angle   | cold rolled steel Q235   | t2      | 2   |
| 75 | flange nut             |                          | M6      | 2   |
| 76 | flat gasket            |                          | 6       | few |
| 77 | spiral bolt            |                          | M6*25   | 4   |